

GH800

Automated Plow System



TECHNICAL DATA

	Units	
Plow Length – Single Plow	2712 mm	8.89 ft
Plow Heights	800-1060 mm	2.62-3.47 ft
	1020-1320 mm	3.34-4.33 ft
	1285-1585 mm	4.21-5.20 ft
Plow Heights (with gobside support)	1570-1735 mm	5.15-5.69 ft
	1700-2000 mm	5.57-6.56 ft
Mechanical Height Adjustment	180-300 mm	0.59-0.98 ft
Cutting Depth	195 mm	0.64 ft



	Units	
Weights		
Single Plow	4080-6630 kg	8,995-14,616 lb
Bottom Bit Positions		
Position 1	+12 mm	+0.04 ft
Position 2	-10 mm	-0.03 ft
Position 3	-20 mm	-0.06 ft
Position 4	-34 mm	-0.11 ft
Maximum Drive Power	2 × 400 kW	2 × 536 hp

Dimensions

All dimensions are approximate.

Stageless Height Adjustment

- Adjustable Range 260 mm (0.89 ft)
- 10 Revolutions = 25 mm (0.08 ft) Pass



Plow Body Setup Option 1					
1	894 mm	2.93 ft	8	226 mm	0.74 ft
2	2261 mm	7.41 ft	9	42 mm	0.14 ft
3	1613 mm	5.29 ft	10	38 mm	0.24 ft
4	128 mm	0.41 ft	11	2712 mm	8.89 ft
5	349 mm	1.14 ft	12	14 529 mm	47.67 ft
6	349 mm	1.14 ft	13	1060 mm	3.47 ft
7	541 mm	1.77 ft			





GH800 Automated Plow System

Dimensions

All dimensions are approximate.

Stageless Height Adjustment

- Adjustable Range 300 mm (0.98 ft)
- 10 Revolutions = 25 mm (0.08 ft) Pass



Plow Body Setup Option 2



1	894 mm	2.93 ft	8	226 mm	0.74 ft
2	2261 mm	7.41 ft	9	42 mm	0.14 ft
3	1613 mm	5.29 ft	10	38 mm	0.24 ft
4	128 mm	0.41 ft	11	2712 mm	8.89 ft
5	349 mm	1.14 ft	12	14 529 mm	47.67 ft
6	349 mm	1.14 ft	13	1320 mm	4.33 ft
7	541 mm	1.77 ft	14	398 mm	1.31 ft

Dimensions

All dimensions are approximate.

Stageless Height Adjustment

- Adjustable Range 300 mm (0.98 ft)
- 10 Revolutions = 25 mm (0.08 ft) Pass




Plow Body Setup Option 3

1	894 mm	2.93 ft	9	42 mm	0.14 ft
2	2261 mm	7.41 ft	10	38 mm	0.24 ft
3	1613 mm	5.29 ft	11	2712 mm	8.89 ft
4	128 mm	0.41 ft	12	14 529 mm	47.67 ft
5	349 mm	1.14 ft	13	1585 mm	5.20 ft
6	349 mm	1.14 ft	14	398 mm	1.31 ft
7	541 mm	1.77 ft	15	891 mm	2.92 ft
8	226 mm	0.74 ft			

GH800 Automated Plow System

Dimensions

All dimensions are approximate.




Plow Body Setup Option 4

1	894 mm	2.93 ft	10	38 mm	0.24 ft
2	2261 mm	7.41 ft	11	2712 mm	8.89 ft
3	1613 mm	5.29 ft	12	14 529 mm	47.67 ft
4	128 mm	0.41 ft	13	1735 mm	5.69 ft
5	349 mm	1.14 ft	14	398 mm	1.31 ft
6	349 mm	1.14 ft	15	1714 mm	5.62 ft
7	541 mm	1.77 ft	16	196 mm	0.64 ft
8	226 mm	0.74 ft	17	2020 mm	6.62 ft
9	42 mm	0.14 ft			

GH800 Automated Plow System

Dimensions

All dimensions are approximate.



Plow Body Setup Option 5

1	894 mm	2.93 ft	9	42 mm	0.14 ft
2	2261 mm	7.41 ft	10	38 mm	0.24 ft
3	1613 mm	5.29 ft	11	2712 mm	8.89 ft
4	128 mm	0.41 ft	12	14 529 mm	47.67 ft
5	348.5 mm	1.14 ft	13	2000 mm	6.56 ft
6	348.5 mm	1.14 ft	14	398 mm	1.31 ft
7	541 mm	1.77 ft	15	1714 mm	5.62 ft
8	225.5 mm	0.73 ft	16	2020 mm	6.62 ft

For more complete information on HBT products and services, visit us on the web at hbt-group.com.

© 2023 HBT GmbH. All rights reserved. Technical changes reserved. All information and illustrations are non-binding.

